


-  **INFORMAZIONE TECNICA**
-  **TECHNICAL INFORMATION**
-  **INFORMATION TECHNIQUE**
-  **TECHNISCHE INFORMATION**


**GRU IDRAULICA
HYDRAULIC CRANE
GRUE HYDRAULIQUE
HYDRAULISCHER
LADEKRAN**



TC 23


Cod. 092000633
Ed. 15.10.2013
Rev. 03

TC23 - SF3



dzwigi24.pl

TC23 - SF2



1


DATI TECNICI - SPECIFICATIONS

DONNEE TECHNIQUES - TECHNISCHE DATEN

TC 23	SF1	SF2	SF3
MOMENTO DI SOLLEVAMENTO LIFTING MOMENT MOMENT DE LEVAGE HUBMOMENT	23.48 kNm 16635 ft.lbs	23.48 kNm 16635 ft.lbs	23.48 kNm 16635 ft.lbs
MASSIMO CARICO SOLLEVABILE MAX. LIFTING CAPACITY PUISSANCE DE LEVAGE MAX. HUBKRAFT	2040 kg 4495 lbs	1900 kg 4185 lbs	1780 kg 3920 lbs
MASSIMO SBRACCIO IDRAULICO MAX. HYDRAULIC OUTREACH PORTÉE HYDRAULIQUE MAXIMALE MAX. HYDRAULISCHE REICHWEITE	2.03 m 6.66 ft	3.03 m 9.94 ft	4.03 m 13.22 ft
ANGOLO MASSIMO DI ROTAZIONE SLEWING ANGLE ANGLE DE ROTATION SCHWENKBEREICH	340°	340°	340°
COPPIA DI ROTAZIONE SLEWING TORQUE COUPLE DE ROTATION SCHWENKMOMENT	3.2 kNm (0.33 m) 2390 ft.lbs	3.2 kNm (0.33 m) 2390 ft.lbs	3.2 kNm (0.33 m) 2390 ft.lbs
PRESSIONE MASSIMA DI LAVORO OPERATING PRESSURE PRESSION D'UTILISATION MAX. BETRIEBSDRUCK	19.0 Mpa (190 bar) 2755 psi	19.0 Mpa (190 bar) 2755 psi	19.0 Mpa (190 bar) 2755 psi
PORTATA D'OLIO CONSIGLIATA RECOMMENDED PUMP CAPACITY DÉBIT DE POMPE RECOMMANDÉ EMPFOHLENE FORDERMENGE DER PUMPE	6 l/min 1.3 imp. gal/min 1.6 US gal/min	6 l/min 1.3 imp. gal/min 1.6 US gal/min	6 l/min 1.3 imp. gal/min 1.6 US gal/min
MASSA DELLA GRU STANDARD STANDARD CRANE MASS MASSE DE LA GRUE STANDARD GEWICHT DES STANDARD-KRANS	205 kg 452 lbs	226 kg 498 lbs	245 kg 540 lbs


2 DIMENSIONI DI INGOMBRO - DIMENSIONS
DIMENSIONS - PLATZBEDARF

TC23 - SF1




4 PESI E BARICENTRI - WEIGHTS AND CENTERS
OF GRAVITY - POIDS ET BARYCENTRES -
GEWICHTE UND SCHWERPUNKTE

TC23 - SF1




3


DIAGRAMMI PORTATE - LIFTING CAPACITY
DIAGRAM - DIAGRAMME DE CAPACITÉ -
TRAGLASTDIAGRAMM



TC23 - SF2




TC23 - SF3





TC23 SF3

dzwigi24.pl




OPTIONAL - BASAMENTO CON STABILIZZATORI
OPTIONAL - BASEMENT WITH STABILIZERS
OPTIONAL - CADRE D'ASSEMBLAGE AVEC STABILISATEUR
OPTIONAL - KRANSOCKEL MIT ZUSATZABSTÜTZUNGEN



VERSIONE CON CILINDRI
STABILIZZATORI MANUALI

VERSION WITH CYLINDERS
MANUAL STABILIZERS




VERSION VERINS
STABILIZATEURS MANUELLES

VERSION MIT DEN
HANDZYLINDERN

VERSIONE CON CILINDRI
STABILIZZATORI IDRAULICI GIREVOLI

VERSION WITH CYLINDERS
HYDRAULIC STABILIZERS



VERSION VERINS STABILIZATEURS
HYDRAULIQUE

VERSION MIT DEN
DREHZYLINDERN